



MWH BESS Battery Energy Storage System 500kwh To 1.37 MWH ESS Battery Pack

Basic Information

Place of Origin: ChinaBrand Name: Qiyuan

Certification: CE, IEC, MSDS, UN3536
 Model Number: ESS500-415-700KWH

Minimum Order Quantity:

Price: USD/CNY, Unit
Packaging Details: container
Delivery Time: 1-2 months
Payment Terms: L/C, T/T

Supply Ability: 2 sets per month



Product Specification

Enclosure: Container, Or CustomizedCapacity: 500KWH Up To 1.37 MWH

PCS Power: 500KW
 Battery: LiFePo4
 Module: 51.2V 105AH
 Output Voltage: 380/400/415VAC

Discharge: 0.5C/1CHVAC: YesFire System: Yes

• Dimension: 20 Feet Container With Shipping Certificate

• Shipping: Battery In The Container

• UN Code: UN3536

• Highlight: MWH BESS Battery Energy Storage System,

500kwh ess battery pack, 1.37 MWH ess battery pack



Product Description

ESS series BESS system provides integrated energy storage technology, serves perfectly for commercial and industrial energy storage application.

- Provide a cost-effective way to store excess energy generated from renewable sources.
- Can store excess electricity generated by renewable energy sources, allowing it to be used at a later time when these sources are not available.
- BESS can provide backup power during outages or extreme weather events, reducing the need for costly distribution upgrades or emergency generators.
- Assist in load leveling and grid support, helping to balance fluctuations in electricity demand throughout the day.
- $\ \ \text{Bess can improve power quality by smoothing out voltage fluctuations that may otherwise disrupt equipment operations.}$
- Easy to install, making them a popular choice for businesses looking for reliable energy storage systems.

| Model | ESS500-380-1290 | ESS500-380-1350 |
|-----------------------------|----------------------|-----------------|
| Rated output power | 500KW | 500KW |
| Rated grid voltage | 380/400/415V | |
| Input voltage range | 320~460VAC | |
| Output voltage range | 380/400/415VAC | |
| Frequency | 50/60HZ | |
| AC pattern | 3W+N+PE | |
| Grid switching time | <20ms | |
| System voltage | 768 | 810 |
| Battery module model | 51.2V210Ah | |
| Battery cluster capacity | 161.3 | 172 |
| No. of paralleled clusters | 8 | |
| EMS | Yes | |
| Dry pipe fire extinguishing | Yes | |
| Fire alarm | Yes | |
| Fire alarm | Yes | |
| HVAC | Yes | |
| Access control | Yes | |
| Remote control | Yes | |
| Peak-valley calculation | Yes | |
| Communication | CAN,RS485 | |
| Protection value | IP54 | |
| PCS unit cooling | Forced air | |
| Working temperature | -30~55°C | |
| Maintenance | External maintenance | |
| Dimension | 6058*2400*2900 | |
| Weight MT | 24 | 26 |



Ningbo Qiyuan New Energy Co., Ltd



18858073356



tony@qygen.com



e batteriesback-up.com