



Outdoor Powder Coating Network Power Backup Solution for Outdoor Power Protection Lvid Yes

Our Product Introduction

for more products please visit us on batteriesback-up.com

Basic Information

- Place of Origin: China
- Brand Name: QY
- Model Number: GES10-48



Product Specification

- Lvid: Yes
- Power Capacity: 5kW To 18kW
- Dc Output Current: 300 VDC
- Applications: Industiral Applications
- Use: Telecom Device
- Standard: IEC
- Operation Temperature: -33 To 55°C
- Surface: Outdoor Powder Coating, Anti-corrosion
- Highlight: **outdoor powder coating power backup,
network power protection solution,
telecom power system with warranty**

Product Description

Product Description:

The Telecom Power System is a reliable and efficient solution designed to provide network power backup for various applications. With its outdoor powder coating and anti-corrosion surface, this system is built to withstand harsh environmental conditions, making it ideal for outdoor installations.

Constructed with sandwich structure steel panels, the Telecom Power System offers durability and protection for the components within. The robust material ensures long-lasting performance and resistance to damage, guaranteeing a reliable power source for your communication infrastructure.

For convenient transportation and storage, this product comes packaged in a wooden case with pallets. The packaging is designed to provide secure handling and protection during transit, ensuring that the Telecom Power System arrives safely at its destination.

Operating at a rated voltage of 380/220 VAC, this system is capable of delivering power efficiently and effectively to your communication equipment. With a power capacity ranging from 5kW to 18kW, the Telecom Power System offers flexibility to meet the power requirements of different setups.

Whether you are looking for a network power backup solution, a fiber optic power distribution network, or a communication power backup system, the Telecom Power System is the ideal choice. Its robust construction, reliable performance, and versatile power capacity make it a suitable option for a wide range of applications in the telecommunications industry.

Features:

Product Name: Telecom Power System

Package: Wooden Case With Pallets

Rectifier Module: 3KW×9pcs

Operation Temperature: -33 To 55°C

Standard: IEC

Lvid: Yes

Technical Parameters:

Power Capacity	5kW To 18kW
Package	Wooden Case With Pallets
Mounting	Assembled Or Welded
Material	Sandwich Structure Steel Panel
Standard	IEC
Surface	Outdoor Powder Coating, Anti-corrosion
Audible Noise	≤55dB(A) (40)
Rated Voltage	380/220 VAC
Dc Output Current	300 VDC
Use	Telecom Device

Applications:

The QY GES10-48 Telecom Power System is a reliable and efficient solution designed for various product application occasions and scenarios within the telecom industry. This Telecom Power Management Unit from China offers exceptional performance and versatility, making it ideal for use in different settings.

One of the key application scenarios for the QY GES10-48 system is in Fiber Optic Power Distribution Networks. With its 3KW×9pcs rectifier modules and 300 VDC output current, this power system is well-equipped to provide stable and uninterrupted power supply to fiber optic networks, ensuring smooth operations and data transmission.

Another important application occasion for this product is in Wireless Communication Power Distribution. The QY GES10-48 system, housed in a 19" standard rack with 16U space, is suitable for powering wireless communication equipment and infrastructure. Its reliable performance and high efficiency make it a preferred choice for maintaining connectivity in wireless networks.

Thanks to its robust design and high-quality components, the QY GES10-48 power system can be used in a variety of scenarios.

Whether it is deployed in remote locations or urban settings, this product offers flexibility in terms of mounting options - it can be assembled or welded as per the specific requirements of the installation site.

For added convenience and protection during transportation, the QY GES10-48 system is packaged in a wooden case with pallets, ensuring that it reaches its destination safely and securely. The product's place of origin in China also reflects the quality and craftsmanship associated with manufacturing in this region.

Customization:

Product Customization Services for the Telecom Power System:

Brand Name: QY

Model Number: GES10-48
Place of Origin: China
Lvid: Yes
Rectifier Module: 3KW×9pcs
Package: Wooden Case With Pallets
Standard: IEC
Applications: Industrial Applications



Ningbo Qiyuan New Energy Co., Ltd



18858073356



tony@qygen.com



batteriesback-up.com

60 Pingan Road, Dafu, Guanlan Community, Longhua District, Shenzhen, China